

# ORBITAL SANDER

Compact yet extremely powerful.  
Built-in adjustable speed regulator




Model  
**OSV-60A**



Sand and polish metal, wood, plastic to a super fine swirl-free finish. Light weight, compact, powerful, whisper quiet, and adjustable speed regulator. Productivity and efficiency increase with the orbital sander. The lightweight unit delivers the performance of heavy duty unit with less vibration and reduced operator fatigue.

## Random orbital action creates a professional finish

The special construction includes the mounting of counter shaft below the rotor. This works in combination with the spindle and circular motions for an extra-fine finish. Speed adjustments allow selection for the best speed for the best job. Random orbital action eliminates swirl patterns and is suitable for polishing, too.



## Specifications

Model	OSV-60A
Rated Air Pressure	MPa (kgf/cm <sup>2</sup> ) 0.6 {6}
Air Consumption (No load)	m <sup>3</sup> /min 0.68
Motor Free Speed	min <sup>-1</sup> (rpm) 8,500
Orbit Diameter	mm 10
Paper Size	mm 150
Mass (Weight)	kg 2.0
Pad	for self stick papers

## Standard Accessories

- Bushing R 1/4 x NPT 1/4 : 1 pc.
- Spanner 17 : 1 pc.
- Brush : 1 pc.
- Dust Bag : 1 pc.
- Hose : 1 pc.
- Hose Band : 1 pc.

# PALM ORBITAL SANDER

Ergonomically designed plastic housing conforms to the operator's hand for greater control and comfort



Model  
**APS-125/150**



Non Vacuum

## For Self Vacuum & Central Vacuum

Available from stock are Non Vacuum Models. You can modify Non Vacuum to Self Vacuum or Central Vacuum by adding a few extra parts.

### Self Vacuum



### Central Vacuum



## Specifications

Model	APS-125	APS-150
Rated Air Pressure	MPa (kgf/cm <sup>2</sup> ) 0.6 {6}	0.6 {6}
Air Consumption (No load)	m <sup>3</sup> /min 0.45	0.45
Motor Free Speed	min <sup>-1</sup> (rpm) 10,000	10,000
Orbit Diameter	mm 5	5
Paper Size	mm 125	150
Mass (Weight)	kg 0.69	0.72
Pad Mass (Weight)	kg 0.10	0.12

## Standard Accessories

- Spanner 17 : 1 pc.
- Bushing R 1/4 x NPT 1/4 : 1 pc.

## Random orbital action produces a high-quality swirl-free finish

- Extremely light. APS-125 weighs just 690 g.
- Simple structure for easy maintenance
- Extremely low vibration
- Adjustable speed

## Applications

- Feather edging, metal preparation, and finishing work on body filler
- Curved surface sanding and corner rounding in wood work